

# About Mde

Manufacturer of safe box & mini bar



Address: No.17 , Beihai Road, Liuhe town, Taicang City, Jiangsu  
Province, China .215431  
Tel: (+86)21-60672006/ 60672006  
Fax: (+86)21-60672006-818  
Email: info@mdesafe.com  
<http://www.mdesafe.com>



Suzhou Mdesafe Equipment Manufacturing Co., Ltd. was founded in the early 21st century. After more than two decades of development, it has different channel partners in many countries and regions around the world. Through global agents and hotel groups, we have successively cooperated with many international hotel brands and most domestic owner groups. Kingsafe safes and Reinn refrigerators are recognized by many customers. The company has a group of professional sales service and R&D teams, and strives to provide safer and more environmentally friendly products for more agents and groups. Quality comes from our professionalism, and brand comes from the reputation of customers. We uphold the business philosophy of service first and all customer service, and strive to build an international global brand.

- 2003: Launched the first hotel special safe.
- 2005: Kingsafe brand trademark was successfully registered.
- 2008: Kingsafe brand entered into international brand hotel management company.
- 2009: Launched the first hotel fingerprint safe, and started the research and development of biotechnology applied to safes.
- 2010: The production and R&D center was established in Taicang, Suzhou, and the Shanghai sales center was established in the same year.
- 2013: Bin'an Binsafe trademark was successfully registered and officially entered the civilian market.
- 2014: Cooperated with Akano Megumi of Japan to start the production and technology research and development of absorption refrigerators.
- 2015: Reinn brand registered for refrigerators and became the first refrigerator and safe production and R&D company.
- 2016: The company passed ISO9001 and 14001, 3C certification, EU CE and ROSH certification.
- 2017: The company applied for various appearance patents, new invention patents, and the self-developed battery exterior design safe deposit box was officially launched for sale.
- 2018: The company won the most competitive brand in China's hotel industry.
- 2019: Successfully cooperated with the international brand AOLGA, becoming a domestic factory for international brand electrical products, and building a comprehensive supplier of hotel room electrical appliances.











## QUALITY MANAGEMENT SYSTEM CERTIFICATE

CERTIFICATE: ZWJM20Q10011R0S

### Hereby Certify

**Suzhou Mdesafe Equipment Manufacturing Co.,Ltd.**

Uniform Social Credit Code: 91320585557142962U

Registration Address: Groups 20 and 21, Xinzha Village, Liuhe Town, Taicang City

Audit Address: No.17,Beihai Road,Liuhe Town Taicang Suzhou City Jiangsu

QMS conforms to:

**GB/T19001-2016/ISO9001:2015**

Scope of Certificate:

Manufacture and Sales of Safe-Deposit Box, Cashbox (Except of Regulations Compulsory Requirements),  
Manufacture and Sales of Refrigerator (Certificate Within the Scope of CCC)

Issue Certificate Date: 2020-01-10

Registration Expiration Date:2023-01-09

Before the expiration date 2021-01-09, should have supervision or new certification audit.

Failed to pass the audit, this certificate is invalid.

This certificate information can be checked at official website of CNCA([http:// www.cnca.gov.cn](http://www.cnca.gov.cn))



Issued by: 玲娜

Jiangsu Zhongwang Jiamei Certification Center Co., Ltd.  
Room 522, Building 5, 2588 Wuzhong Avenue, Wuzhong Economic  
Development Zone, Suzhou, Jiangsu, China  
[www.jszwjm.com](http://www.jszwjm.com)



## ENVIRONMENT MANAGEMENT SYSTEM CERTIFICATE

CERTIFICATE: ZWJM20E10006R0S

### Hereby Certify

**Suzhou Mdesafe Equipment Manufacturing Co.,Ltd.**

Uniform Social Credit Code: 91320585557142962U

Registration Address: Groups 20 and 21, Xinzha Village, Liuhe Town, Taicang City

Audit Address: No.17,Beihai Road,Liuhe Town Taicang Suzhou City Jiangsu

EMS conforms to:

**GB/T24001-2016/ISO14001:2015**

Scope of Certificate:

The Environmental Management Activities Involved by Manufacture and Sales of Safe-Deposit Box, Cashbox (Except of Regulations Compulsory Requirements), Manufacture and Sales of Refrigerator (Certificate Within the Scope of CCC) and Sites

Issue Certificate Date:2020-01-10:

Registration Expiration Date:2023-01-09

Before the expiration date 2021-01-09, should have supervision or new certification audit.

Failed to pass the audit, this certificate is invalid.

This certificate information can be checked at official website of CNCA([http:// www.cnca.gov.cn](http://www.cnca.gov.cn))



Issued by: 玲娜

Jiangsu Zhongwang Jiamei Certification Center Co., Ltd.  
Room 522, Building 5, 2588 Wuzhong Avenue, Wuzhong Economic  
Development Zone, Suzhou, Jiangsu, China  
[www.jszwjm.com](http://www.jszwjm.com)



## CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2016010701916982

### NAME AND ADDRESS OF THE APPLICANT

Suzhou Mdesafe Equipment Manufacturing Co.,Ltd  
Taicang city LiuHe town XinZha village 20 and 21 group

### NAME AND ADDRESS OF THE MANUFACTURER

Suzhou Mdesafe Equipment Manufacturing Co.,Ltd  
Taicang city LiuHe town XinZha village 20 and 21 group

### NAME AND ADDRESS OF THE FACTORY

Suzhou Mdesafe Equipment Manufacturing Co.,Ltd  
Jiangsu province suzhou city taicang LiuHe town of beihai road no. 17

### PRODUCT NAME, MODEL AND SPECIFICATION

Diffusion absorption cooler

M-50, M-25, M-30, M-40, M-42 220V~ 50Hz 60W 0.273A R-717

### THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2012;GB 4343.1-2018;GB 4706.1-2005 ;GB 4706.13-2014

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C07-01, 2017).

Valid from: Nov.04,2020

Valid until: Nov.04,2025

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Nov.09,2016

The certificate information is available through CNCA's website: www.cnca.gov.cn

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



President:

陆梅

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE

<http://www.cqc.com.cn>

Section 9, No. 188, Nanshuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666



备案号: (2017)3205C281

## 采用国际标准产品标志证书

### ADOPTING INTERNATIONAL STANDARD PRODUCT MARKING CERTIFICATE

苏州麦迪尔安防设备制造有限公司:

你单位采用国际标准产品 扩散吸收式冷藏箱

经审查符合使用采用国际标准产品标志条件,业已备案。

执行标准编号: GB 4706.13-2014

国际标准或国外先进标准编号: IEC 60335-2-24:2012

证书有效期 2017 年 09 月 29 日至 2022 年 09 月 28 日

This is to certify that your product

adopting International Standard has been assessed to be qualified for using the adopting international standard product mark and has been registered.

Term of validity of this certificate from Sep. 29, 2017 to Sep. 28, 2022 inclusive.



发证单位(盖章)

年 月 日

国家标准化管理委员会制



CELAB®

Via Maira snc  
04100 Latina  
Italy  
[celab@celab.com](mailto:celab@celab.com)



## CERTIFICATE

Certificate Number UCN : 802138151609  
Job : J24622  
Date of Issue : 2018-08-28  
Certificate valid up to : 2022-08-27

Brand Name : See label  
Type : Safes  
Model N : K-JG001, K-JG100, K-BE100, K-BE100H, K-BE200, K-BE200M, K-BE200H, K-DR200, K-JG200, K-JG20, K-JG300, K-DR480

Manufacturer : Suzhou Mdesafe Equipment Manufacturing Co.,Ltd.  
Address : No.17 Beihai Road Liuhe Town, Taicang City,  
Jiangsu Province, China

Standard Used : EN 50581:2012

Conclusion :  
After inspection of the technical documentation issued by the customer, and in his request, we express our opinion that the product meets the technical requirement of the following directives and standards:  
2011/65/EU Restriction of the use of certain hazardous substances (RoHS)

This opinion is only valid for the directive, the equipment and configuration described, in conjunction with the test data detailed above and with compliance with all applicable legal requirement for the product .  
The following manufacturer documents was inspected:

Presence of Declaration of conformity template	✓ OK
Presence of test report using standards as indicated in the declaration of conformity Test report reference : B-R180818707	✓ OK
Presence of  symbol in the product label.	✓ OK
Presence of instruction manual	✓ OK
Use of valid Harmonized standard in the declaration of conformity	✓ OK
Presence of product description in the technical construction file	✓ OK

Copyright of this Certificate is owned by CELAB® Italy and may not be reproduced other than in full and with the prior approval of the General Manager. Use of this certificate is subjected to Celab regulation available on Celab web site.

Check the authenticity of this certificate and related information before use in the web site [www.celab.com](http://www.celab.com) introducing the UCN number in the 'Check document authenticity' area. You will see copy of this certificate and regulation on certificate use. This document is released only for scope allowed by laws- Do not use this document without full understanding of regulation.

Massimiliano Bertoldi  
General Manager - CELAB  
[www.celab.com](http://www.celab.com)

[www.celab.com](http://www.celab.com)

CELAB®

Via Maira snc  
04100 Latina  
Italy  
[celab@celab.com](mailto:celab@celab.com)



## CERTIFICATE

Certificate Number UCN : 802138141602  
Job : J24621  
Date of Issue : 2018-08-28  
Certificate valid up to : 2022-08-27

Brand Name : See Label  
Type : Minibar  
Model N : M-25A, M-30A, M-40A, M-50A, M-25T, M-30T, M-40T, M-50T

Manufacturer : Suzhou Mdesafe Equipment Manufacturing Co.,Ltd.  
Address : No.17 Beihai Road Liuhe Town, Taicang City,  
Jiangsu Province, China

Standard Used : EN 50581:2012

Conclusion :  
After inspection of the technical documentation issued by the customer, and in his request, we express our opinion that the product meets the technical requirement of the following directives and standards:  
2011/65/EU Restriction of the use of certain hazardous substances (RoHS)

This opinion is only valid for the directive, the equipment and configuration described, in conjunction with the test data detailed above and with compliance with all applicable legal requirement for the product .  
The following manufacturer documents was inspected:

Presence of Declaration of conformity template	✓ OK
Presence of test report using standards as indicated in the declaration of conformity Test report reference : B-R180818705	✓ OK
Presence of  symbol in the product label.	✓ OK
Presence of instruction manual	✓ OK
Use of valid Harmonized standard in the declaration of conformity	✓ OK
Presence of product description in the technical construction file	✓ OK

Copyright of this Certificate is owned by CELAB® Italy and may not be reproduced other than in full and with the prior approval of the General Manager. Use of this certificate is subjected to Celab regulation available on Celab web site.

Check the authenticity of this certificate and related information before use in the web site [www.celab.com](http://www.celab.com) introducing the UCN number in the 'Check document authenticity' area. You will see copy of this certificate and regulation on certificate use. This document is released only for scope allowed by laws- Do not use this document without full understanding of regulation.

Massimiliano Bertoldi  
General Manager - CELAB  
[www.celab.com](http://www.celab.com)

[www.celab.com](http://www.celab.com)



## RoHS TEST REPORT

NO.: B-R180818707

Date: Aug. 15, 2018

Page 1 of 10

Customer: Suzhou Mdesafe Equipment Manufacturing Co., Ltd.  
Address: No.17 Behai Road Liuhe Town, Taicang City, Jiangsu Province, China  
Client No.: 05126935

Report on the submitted sample said to be:

Sample name: Sales

Trademark: MDE

Model No.: K-JG800

Sample Model: K-JG800

Manufacturer: Suzhou Mdesafe Equipment Manufacturing Co., Ltd.

Address: No.17 Behai Road Liuhe Town, Taicang City, Jiangsu Province, China

Sample received date: Aug. 06, 2018

Testing period: From Aug. 06, 2018 to Aug. 15, 2018



### Testing method:

With reference to IEC 62321, EN 50581:2012

(1) Section 6: Screening by X-ray Fluorescence Spectrometry (XRF)

(2) Chemical test:

Testing Item	Pretreatment method	Measuring instrument	MQL
Lead (Pb)	IEC 62321-5:2013 Ed 1.0, section 7.3	ICP-OES	2mg/kg
Cadmium (Cd)	IEC 62321-5:2013 Ed 1.0, section 7.3	ICP-OES	2 mg/kg
Mercury (Hg)	IEC 62321-4:2013 Ed 1.0, section 7.2	ICP-OES	2 mg/kg
Chromium (Cr VI)	IEC 62321-7-1:2015 Ed 1.0, section 7	UV-VIS	2 mg/kg 0.02 mg/kg*
PBBs/PBDEs	IEC 62321-6:2015 Ed 1.0, section 8	GC-MS	5 mg/kg

Note: \*0.02mg/kg refers to the MQL of sample extraction liquid.

### Conclusion

Tested samples: Screening components of submitted samples

Standard: Screening by XRF spectroscopy and chemical confirmation test for RoHS directive (2011/65/EU)

Result: Pass

\*\*\*\*\*FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)\*\*\*\*\*

Written by: (Anna)  
Inspected by: (Joseph)  
Approved by: (Robert)

This report is considered invalidated without the Special Seal for Inspection of the Beide (Shenzhen) Product Service Limited. This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Beide (Shenzhen) Product Service Limited, this test report shall not be copied except in full and published as advertisement.

Beide (Shenzhen) Product Service Limited  
6F, Bldg E, Hourui 3rd Ind Zone, Xixiang, Bao'an Dist, Shenzhen, China  
Tel.: +86-755-27454498, Email: admin@szbeide.com

Kingdom of Saudi Arabia

المملكة العربية السعودية



Page: صفحة 1 of 2

## Certificate of Conformity مطابقة شهادة For export to the Kingdom of Saudi Arabia للتصدير إلى المملكة العربية السعودية

We, Bureau Veritas, Certify that the goods listed below were subjected to laboratory testing and are in compliance with the approved Technical Regulations and/or Standards in the Kingdom of Saudi Arabia as mentioned below.

نحن شركة بيرو فيريتاس نشهد بأن السلع المودنة بيلاتنا أدناه تم إخضاعها للتحقق المخبري والتحقق أنها مطابقة للوائح الفنية واللوائح الفنية المعتمدة في المملكة العربية السعودية والمشار إليها أدناه

CoC N°: رقم الشهادة SAU 2012 632166 / 0001

Issuance date: تاريخ الإصدار 12/11/2012

Registration N°: رقم التسجيل

Importer: المصدرة HABITAT FURNITURE CO LTD	Exporter: المصدر: NINGBO J AND D INTERNATIONAL TRADE CO LTD
Address: عنوان: HABITAT BUILDING, MADINA ROAD-KILO 14 P.O. BOX 9641 21423 JEDDAH - Saudi Arabia	Address: عنوان: ROOM 515 JIN DU GUO JI BUILDING, NO.345 HUANCHENG WEST ROAD NINGBO - China
Phone: الهاتف	Phone: الهاتف: +86 57487127505
Fax: الفاكس	Fax: الفاكس: +86 57487127503
Manufacturer: اسم المصنع	Means of shipment: طريقة الشحن: Sea
Address: عنوان	Country of shipment: بلد الشحن: China
	Port of arrival: ميناء الوصول: JED-JEDDAH

Invoice N°: رقم الفاتورة: JDB12005

Date: التاريخ: 16/08/2012

Country of origin: بلد المنشأ: China

Item: المادة	Declared Quantity: الكمية المعلنة	Packaging: نوع التغليف	Goods Description (designation / brand / model) وصف البضائع (التسمية / العلامة التجارية / النموذج)	TR and/or Standard (ref) رقم المواصفة الفنية (المرجع)
0001	2,00 PCS	CARTON	SAFE BOX, KING BRAND, K-8C18, -	N/A
0002	300,00 PCS	CARTON	SAFE BOX, KING BRAND, K-8E200, -	N/A

Remarks: ملاحظات

The issuance of this certificate does not release the contractual parties from their own responsibilities and the fulfillment of their obligations. This certificate is issued according to Bureau Veritas VoC procedures taking SABO standards into account. This certificate and related service are subject to the general terms and conditions of service of Bureau Veritas.

إن إصدار هذه الشهادة لا يعفي الأطراف المتعاقدة من مسؤولياتها والوفاء بالتزاماتها. صدرت هذه الشهادة حسب متطلبات برنامج المطابقة لشركة بيرو فيريتاس وبالأخذ بالاعتبار بمقاييس المملكة العربية السعودية. هذه الشهادة والخدمة المتعلقة هي خاضعة للشروط العامة لتقديم الخدمات لشركة بيرو فيريتاس

Issuing Bureau Veritas OSIT: مكتب بيرو فيريتاس مصدر الوثيقة PUDONG SHANGHAI, China

Name: الاسم: Ashing Zhou


Printed and signed in: طُبعت و وقعت في: PUDONG SHANGHAI, China



Accreditation n° 3-0940, scope of accreditation available on www.cofrac.fr

Z 2870532

## 麦迪尔部分集团客户案例节选 Mdesafe service for hotel group





## K-FG001



## K-FG600



## K-FG800

- 1.Large LED display with 4-6 digits code and 6 digits management code.
- 2.Locking mechanism: Two 18 mm solid steel bolts.
- 3.Install hole: Two holes on the bottom.
- 4.Steel body/door thickness:2/4mm.
- 5.Open ways: Guest code/Master code /Emergency Key / CEU Handle.
- 6.Door Technology Option: Laser cutting or not.
- 7.Audit System: Latest 200 pcs audit trial.
- 8.Low battery warning/Inside carpet: Yes
- 9.Optional: Inside with light or outlet.
- 10.Accommodate 15" laptop

Lightspot : K-FG001 can replace batteries by external.

Style No	Product Dimension (W*D*H) mm	N.W/G.W(KG)
K-FG001	400*350*145	12.8/13.5
K-FG600	400*350*145	12.8/13.5
K-FG800	400*350*145	12.8/13.5





K-BE800



K-JG20



K-BE200



K-JG001

- 1.Large LED display with 4-6 digits code and 6 digits management code.
- 2.Locking mechanism: Two 18 mm solid steel bolts.
- 3.Install hole: Two holes on the back & bottom.
- 4.Steel body/door thickness:2/5mm.
- 5.Open ways: Guest code/Master code /Emergency Key / CEU Handle.
- 6.Door Technology Option: Laser cutting or not.
- 7.Audit System: Latest 200 pcs audit trial.
- 8.Low battery warning/Inside carpet: Yes
- 9.Optional: Inside with light or outlet.
- 10.Accommodate 15" laptop

Lightspot : K-JG001 can replace batteries by external.

Style No.	Product Dimension (W*D*H) mm	N.W/G.W(KG)
K-BE800	420*380*200	13.5/14.5
K-JG20	420*380*200	14/14.5
K-BE200	420*380*200	13.5/14
K-JG001	420*380*200	13.5/14



M-25A



M-30A



M-40A



M-50A



1. No compressor, no noise, suitable for quiet place use such as hotel and hospitals.
2. No Freon, no need to add refrigerators, environmental friendly.
3. No mechanical movement in cooling parts, long life.
4. Overhead lighting design; adjustable left/right door and shelves
5. Using electronic thermostat & IC chip control, auto defrost once a day, remove artificial defrost troubles
6. With a special energy-saving function: using a precise time cycle system control load operation, saving 17% power consumption per day
7. All structure use improved materials, easy repair and maintenance .
8. Temperature: 4-12°C (at ambient 25°C)

P.S: Product dimension is not include mat height (15mm).

Style No	Product Dimension(W*L*H) mm	N.W/G.W(KG)
M-25A	400*380*480	14/15.5
M-30A	400*422*480	15/15.5
M-40A	400*442*550	16.5/18
M-50A	400*445*663	18.5/20



M-25T



M-30T



M-40T



M-50T

1. No compressor, no noise, suitable for quiet place use such as hotel and hospitals.
2. No Freon, no need to add refrigerators, environmental friendly.
3. No mechanical movement in cooling parts, long life.
4. Overhead lighting design; adjustable left/right door and shelves
5. Using electronic thermostat & IC chip control, auto defrost once a day, remove artificial defrost troubles
6. With a special energy-saving function: using a precise time cycle system control load operation, saving 17% power consumption per day
7. All structure use improved materials, easy repair and maintenance .
8. Temperature: 4-12°C (at ambient 25°C)

**P.S: Product dimension is not include mat height (15mm).**

Style No	Product Dimension(W*L*H) mm	N.W/G.W(KG)
M-25T	400*380*480	14.4/16.5
M-30T	400*422*480	16.8/18.7
M-40T	400*442*550	17.6/19.4





無門體櫃子  
Cabinet without door



帶門體櫃子  
Cabinet with door



- 1.Material: Steel plate. Door with 5mm, body with 2mm.
- 2.Product Usage Scene: Hotel lobby, bank vault.
- 3.Lock: America UL lock, two mechanical keys, master key and guest key turned on at the same time. For safety, the guest key cannot be inserted before master key is inserted. When the door is open, the guest key cannot be removed to prevent the key from being lost.
4. Internal Configuration: Each door with inner box, there is a handle on the inner box to configure a padlock (we don't provide padlock). The inner box is stamped and welded with 0.8mm high-quality cold-rolled steel plate, and the bottom is padded with a gray mat.
- 5.Numbering: The number on the door use laser technology.



## 材质

门板10mm实心防磁不锈钢制成，采用先进的切割工艺，表面平整  
号码采用电脑刻字，美观实用  
内盒采用高品质冷轧钢板，表面喷塑处理  
可配置工作台板，自动弹开

## Material:

Stainless steel  
The thickness of door is 10mm and be made of stainless steel(SUS304)  
The box uses high quality cold-rolled steel.

1. Material: Stainless steel. Door with 10mm, body with 2mm.
2. Product Usage Scene: Hotel lobby, bank vault.
3. Lock: America UL lock, two mechanical keys, master key and guest key turned on at the same time. For safety, the guest key cannot be inserted before master key is inserted. When the door is open, the guest key cannot be removed to prevent the key from being lost.
4. Internal Configuration: Each door with inner box, there is a handle on the inner box to configure a padlock (we don't provide padlock). The inner box is stamped and welded with 0.8mm high-quality cold-rolled steel plate, and the bottom is padded with a gray mat.
5. Numbering: The number on the door use laser technology.





K-DBX680



K-CBX680

Professionally designed for the hotel front desk cashier, "only in, but not out", convenient for hotel cash management; the box is made of high-quality medium and thick steel plate at one time; imported high-performance computer chips with multiple functions such as date, time and other functions; LCD digital display, and The password cannot be erased and displayed at will, and the confidentiality is strong; the interior is equipped with a drawer with a lock and a highly free detachable partition, and the storage space can be adjusted at will; the use of reinforced solid chrome-plated steel bolts is more safe to use; the box is phosphate, etc. Multiple chemical treatments, corrosion-resistant and durable.

Model	Size h*w*d(mm)	N.w/G.w(kg)	B/D(mm)	Color
K-DBX680	680*430*380	63/63.5	4/8	Golden
K-DBX780	780*430*380	72/72.5	4/8	Golden
K-DBX880	880*470*430	88/88.5	4/8	Golden
K-DBX1080	1080*550*450	119/119.5	4/8	Golden

Model	Size h*w*d(mm)	N.w/G.w(kg)	B/D(mm)	Color
K-CBX680	680*430*380	63/63.5	4/8	Golden
K-CBX780	780*430*380	72/72.5	4/8	Golden
K-CBX880	880*470*430	88/88.5	4/8	Golden
K-CBX1080	1080*550*450	119/119.5	4/8	Golden



**K-FH325**

**K-FH990**

**K-FHJ990**

## High temperature combustion experiment

The fireproof safe under test passed the highest temperature control point of 1030 degrees Celsius and burned for 1 hour. After burning for 1 hour at a high temperature control point of 1030 degrees Celsius, it was raised to a height of 4 meters for a drop test. As a result, the structure of the box was intact, and the color of the documents and papers did not change at all. The highest temperature in the box was measured at 106.1 degrees Celsius, far below 180. The national standard for degrees Celsius.

Model	Size h*w*d(mm)	N.w/G.w(kg)	Volume(L)
K-FH325	305*400*330	37	16
K-FH530	496*355*390	60	21
K-FH670	600*480*470	112	41
K-FH770	700*500*490	136	69
K-FH990	920*600*570	210	152
K-FH1270	1200*700*640	315	281

## 防磁防火文件柜 Surviva file safe

### 高温燃烧实验

按日本国家批准 (JIS) 进行检测, 各项指标检测结果均大幅度优于 (JIS) 标准, 客户可放心选用

- 全球首创抽屉式设计, 使用便捷
- 独特的防火防磁耐高温内盒 (DPB) 设计
- 采用进口防火材料和导轨保证优异品质
- 选用进口可调机械密码锁, 加强防盗的同时兼顾美观实用
- 可调式文件夹置放架, 便于资料整理

### In case of fire.....

Surviva file takes the heat. Choose between 1 or 2 hour fire resistance(with impact protection). Keep your vital information secured against severe fires. Many companies do not survive after a fire because they lose business-critical information. Keep vital documents, ledgers, records, etc secure in a Surviva file and protect the things your insurance.



Model	Size h*w*d(mm)	N.w/G.w(kg)
K-FRD20	860*551*824	232/251
K-FRD30	1231*551*824	314/335
K-FRD40	1598*551*824	418/439
K-FRC320	1280*896*560	280/310



# Thank you !

Suzhou Mdesafe Equipment Manufacturing Co., Ltd.

